



Benefits:

- For cameras up to 30 x 30mm cross section
- Robust construction
- Compact size
- Small dead weight
- High IP protection class
- Flexible camera positioning
- High chemical resistance
- Vibration-proof mounting
- Dome window option
- Camera mount included
- Excellent heat dissipation
- Custom length option



Technical Details:

| | |
|--|--|
| Camera Size | 29 x 29mm 30 x 30mm |
| Max. Lens Diameter | 39mm |
| Inner Length | 146mm (Size S) 122mm (Size S, flat) 176mm (Size M) 152mm (Size M, flat) |
| Enclosure Dimensions (w x h x l, without cable gland) | 50 x 50 x 156mm (S) 50 x 50 x 132mm (S, flat) 50 x 50 x 186mm (M) 50 x 50 x 162mm (M, flat) |

| | |
|------------------------|-------------------|
| Window Aperture | 28mm |
| Window Material | Borosilicate, BK7 |
| Window Coating | Double sided AR |
| Window Seal | Hytrel |

| | |
|-------------------------|---------------|
| Protection Class | IP66 (Nema 4) |
|-------------------------|---------------|

| | |
|---------------------------------------|--|
| Weight (incl. camera mount) | ~420g (S), 350g (S, flat) ~465g (M), 395g (M, flat) |
| Enclosure Material | Anodized Aluminum |
| Enclosure Seals | NBR |

| | |
|--|--|
| Cable Gland Aperture (max. connector size) | 20mm (Rear Wall A) 16.5mm (Rear Wall B) 20.5mm (Rear Wall C) |
| Cable Diameter | 4-6.5mm (Rear Wall B) Self drilling (Rear Wall C) |
| Cable Gland Seal | TPE |



The camera mount guarantees excellent heat dissipation



Order Numbers:

| Product ID | Camera Height | Enclosure Type | Rear Wall/Front Lid | Length | |
|---|----------------------|----------------|---|------------------|------|
| 2 | 29 = 2.9 30 = 3.0 | 0 | Front Lid | S: 120 M: 150 | |
| | | | standard | | flat |
| | | | 0 Rear Wall A | | 5 |
| | | | 1 Rear Wall B | | 6 |
| 2 Rear Wall C | 7 | | | | |
| Surcharge Colibri Custom Length: 20.000.045 | | | Colibri Flir Firefly, 80mm, flat Front Lid, Rear Wall C: 22.707.080 | | |



Dome Window for wide angle S-Mount lenses




Special Mount for Flir FireFly

Accessories:


| Product | Image | Order No. | Product | Image | Order No. | Product | Image | Order No. |
|-----------------------|-------|-------------------------------|-----------------|-------|------------|-----------------|-------|-----------|
| Air Nozzle | | 50.100.023 | 28mm PA Tube | | 20.000.006 | Mounting Kit 27 | | 5.270.000 |
| Deflection Mirror 90° | | 20.020.004 + 10.062.979 | Mounting Kit 21 | | 5.210.000 | Mounting Kit 28 | | 5.280.000 |
| 30/40mm Bracket | | 10.062.979 | Mounting Kit 22 | | 5.220.000 | Mounting Kit 29 | | 5.290.000 |
| Surcharge Dome | | 20.000.092 | Mounting Kit 24 | | 5.240.000 | | | |



Front Lid




Size S



Rear Wall A



Size M




Rear Wall B



Size M

Flat Front Lid



Rear Wall C



ACC-AUVI6-06/2020 · Subject to technical change without notice. No liability is accepted for errors which may be contained in this document.